Spartan Chemical Spartan Material Safety		R. Janus Supply Co. [810] 985-9757 614 Huron Ave.
1110 Spartan Drive Med	Product Div Janitorial roduct/Technical (2000)-537-8 Information: licel Emergency: 1-(888)-314-0 emical Leak/SpilCHEMTRE Emergency:	Port Huron, MI 48060 vision:
Shipping Description: Disinfectants, liquid, n.o.s.		
NFPA Ratings:	HMIS Ratings:	
Health: 3 - Serious	Health:	*3 - Serious; Chronic Hazard
Fire: 0 - Minimal	Fire:	0 - Minimal
Reactivity: 0 - Minimal	Reactivity:	0 - Minimal
	Pers. Prot. Equip.:	See Section VIII

** SECTION II: HAZARDOUS INGREDIENTS (Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				NTP, IARC or			
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	OSHA Carcinogen	
*2-Butoxyethanol	4	111-76-2	120 [skin]	Not Established	Not Established	No	
Sodium tripolyphosphate	01-05	7758-29-4	Not Established	Not Established	Not Established	No	
Disodium cocoamphodipropionate	01-05	68604-71-7	Not Established	Not Established	Not Established	No	
Dialkyl dimethyl ammonium chloride	< 1.0	68424-95-3	Not Established	Not Established	Not Established	No	
Alkyl dimethyl benzyl ammonium chloride	< 1.0	68424-85-1	Not Established	Not Established	Not Established	No	

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

	A 2 State and a second seco	 A state of the sta	An and the second se
Boiling Point:	207 °F	Vapor Pressure:	Undetermined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	11. 5-12.3	Specific Gravity (H ₂ O=1):	1.02
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	4 - 7
Physical State:			
Appearance & Odor:	Blue liq uid, floral fragrance		

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 200°F	Method Used:	ASTM-D56
Flammable Limits:	Not Establis hed	Flame Extension:	N/A
Extinguishing Media:	Pr oduct does not support combustion	. Use extinguishing media appro	opriate for surrounding fire.
	Wear NIOSH approved self -containe containers with water spray.	d breathing apparatus and protec	ctive clothing. Cool fire-exposed
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

Threshold Limit Value:	Not Establis hed	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure- Conditions to Avoid:	CAUSES IRREVERSIBLE I redness, swelling and tissue da HARMFUL IF SWALLOW INHALATION OF SPRAY I spray mist may cause coughing Contains 2-butoxyethanol which headache; dizziness; nausea an and kidney damage based on a	ch may cause central nervous system depression with symptoms such as d drowsiness. Exposure to 2-butoxyethanol may cause blood cell; liver nimal data. clothing. Do not swallow. Avoid breathing product mist.
Conditions Aggravated by Use:	Use of this pro duct may aggradermatitis.	vate preexisting skin; eye and respiratory disorders including asthma and
Emergency & First Aid Procedure	5 <mark>.</mark>	
Eyes:		y and gently with water for 15-20 minutes. Remove contact lenses after the rinsing eye. Call a poison control center or doctor for treatment advice.
Skin:		g. Rinse skin immediately with plenty of water for 15-20 minutes. Call a ror treatment advice. Wash contaminated clothing before reuse.
Ingestion:	water if able to swallow. Do n	doctor immediately for treatment advice. Have person sip a glass of ot induce vomiting unless told to do so by a poison control center or by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation:	move person to fresh air. Get medical attention if irritation persists.

** SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong oxidizers	
Hazardous Decomposition Products: CO, CO 2	Hazardous Polymerization: Will Not Occur	

SECTION VII: SPILL OR LEAK PROCEDURES

	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If
Material is Released or Spilled	permitted by local sewer regulations). Dike and contain large spills with inert material and transfer
	liquid to containers for recovery or disposal.
Waste Disposal Method	Dispose of in compliance with all federal, state and local laws and regulations.

** SECTION VIII: SPECIAL PROTECTION INFORMATION

1	Not n ormally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
Ventilation:	Pr ovide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or neoprene gloves are recommended.
Eye Protection(Specify Type):	Splash goggles are reco mmended to prevent eye contact.
Other Protective Equipment:	Ey e wash stations and washing facilities should be readily accessible. See 29 CFR 1910.132-138.

SECTION IX: SPECIAL PRECAUTIONS

Other Precautions	: Keep out of rea	ch of children.		
© SCC 12/14/2005	Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs
CDC-10	Effective Date:	12/14/2005	Supercedes:	12/01/2003
Ref: 29 CFR 1910.1200 (OSHA)	Changes:	Update shipping description		
'his document has been prepared u	sing data from sou	arces considered technically rel	iable. It does not	constitute a warranty, express or implie
				ond sellers control. User is responsible t
evaluate all available information w	hen using produc	t for any particular use and to c	omply with all F	ederal, State and Local laws and
regulations.				