JAN-29-99 FRI 04:29 PM ZENECA AG PRODUCTS R&RA FAX NO. 3028861572

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

Diquat Herbicide

· -			MSDS No. US004645_01
Version:	1	Date issued: 11/12/98	Date printed: 11/13/98

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company	: Zeneca Agricultural Products 1800 Concord Pike Wilmington DE 19850		
Phone number	: (302) 886-1000		
Emergency phone	: Medical: 800-327-8633 (1-800 FASTMED)		
	Chemtrec: 800-424-9300		
	Technical:302-886-3000		
Name used on label	: Diquat Herbicide		
Product use	: Herbicide		

A Registered Trade Mark of Zeneca Agricultural Products

Section 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Identity	CAS-20.	Typical %	Other	information
diquat	2764-72-9	36.4 %		
inerts				
		63.6 %		

Ingredients not precisely identified are proprietary or non hazardous. Values are not product specifications.

Section 3 - HAZARDS IDENTIFICATION

Physical hazards: None

3296

Health hazards:

Irritant (eye, skin, respiratory passages, skin sensitizer). Harmful (oral)

Section 4 - FIRST AID MEASURES

GENERAL ADVICE:

If a known exposure occurs or is suspected, immediately start the recommended procedures below. If further treatment is required, contact a Poison Center, a physician or the nearest hospital. Inform the person contacted of the type and extent of exposure, describe the victim's

JAN-29-99 FRI 04:29 PM ZENECA AG PRODUCTS R&RA

FAX NO. 3028861572

MSDS No.

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

Diquat Herbicide

Version: 1	Date issued: 11/12/98	Date printed:	11/13/98

symptoms, and follow the advice given.

IF IN EYES:

Immediately flush with plenty of water for at least 15 minutes. Have eyes examined and treated by medical personnel. The degree of injury will depend on the amount of material that gets into the eye and the speed and thoroughness of the first aid treatment.

IF ON SKIN:

Wash material off the skin with plenty of soap and water. If redness occurs or diquat contacts a skin cut or an area of abrasion, get medical attention. Wash contaminated clothing and decontaminate footwear before reuse.

IF SWALLOWED:

Provided the patient is conscious, give 1 or 2 glasses of water to drink. Induce vomiting by sticking finger down throat. Immediately contact Zeneca's Emergency Information Network at 1-800-F-A-S-T-M-E-D (327-8633). If bentonite, activated charcoal or Fuller's earth is available, administer it.

IF INHALED:

Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is labored, give oxygen. Consult medical personnel.

MEDICAL ADVICE:

CALL ZENECA'S MEDICAL EMERGENCY INFORMATION NETWORK AT 1-800-327-8633 (Dial 1-800-F-A-S-T-M-E-D) at any hour to obtain toxicology and medical management consultation and paraquat analyses. Prompt treatment is essential and must be initiated immediately before signs and symptoms appear. Symptoms are prolonged and painful and may be delayed for days after swallowing. Treatment may include binding paraquat in the gut with suspensions of clay or charcoal; and removal of paraquat from the blood by prolonged charcoal hemodialysis. Do NOT administer oxygen; oxygen potentiates the toxicity of paraquat. Probable mucosal damage may contraindicate the use of gastric lavage. To be effective, treatment for diquat poisoning must begin immediately. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from blood by charcoal hemoperfusion.

US004645_01

JAN-29-99 FRI 04:30 PM ZENECA AG PRODUCTS R&RA FAX NO. 3028861572

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

MSDS No.

Diquat Herbicide

Version: 1	Date issued:	11/12/98	Date printed;	11/13/98

Section 5 - FIRE FIGHTING MEASURES

Flash point : Not applicable. Autoignition temperature : Not applicable. Flammable limits (STP): : Not applicable. EXTINGUISHING MEDIA: Water fog, alcohol foam, carbon dioxide, dry chemical, halogenated agents. PROTECTIVE EQUIPMENT: Self-contained breathing apparatus with full facepiece and protective clothing. NFPA RATING Health 2 Fire ٥ Reactivity n Unusual fire and explosion hazards: Possible toxic smoke, vapors, fallout and runoff water can result from fires depending on extent of combustion and presence of other combustible materials. Contaminated buildings, areas, and equipment must be properly decontaminated before reuse.

Section 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Steps to be taken in case material is released or spilled: Make sure all personnel involved in the spill cleanup follow good industrial hygiene practices. A small spill can be handled routinely. Use adequate ventilation and wear an air-supplied respirator to prevent inhalation. Wear suitable protective clothing and eye protection to prevent skin and eye contact.

METHODS FOR CLEANING UP:

Do not allow the material to enter streams, sewers or other waterways. Spread a suitable absorbent such as clay on the spill, and shovel into an open drum.

Generously cover the contaminated areas with common, household detergent (e.g. TIDE, registered trademark of Proctor & Gamble Co.). Using a stiff brush and small amounts of water, work the detergent into the remaining spilled material forming a slurry. Brush the slurry into cracks and crevices and allow to stand for 2-3 minutes. Be careful to completely avoid skin or eye contact. Do not splatter on oneself or bystanders.

US004645_01

JAN-29-99 FRI 04:30 PM ZENECA AG PRODUCTS R&RA FAX NO. 3028861572

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

MSDS No.

Diquat Herbicide

Version: 1	Date issued: 11/12/98	Date printed:	11/13/98

Spread absorbent on the slurry liquid and shovel mixture into the open drum.

Rinse with small amount of water and use absorbent to collect the wash solution. Shovel into the open drum.

Seal drum and dispose of contaminated material in a facility permitted for hazardous waste. Large spills should be handled according to a spill plan. Otherwise, in case of emergency call, day or night, 800-424-9300, Chemtrec.

Section 7 - HANDLING AND STORAGE

REQUIREMENTS FOR STORAGE ROOMS:

Containers should be stored in a cool, dry, well-ventilated area away from flammable materials and sources of heat or flame. Exercise due caution to prevent damage to or leakage from the container.

ADDITIONAL INFORMATION:

Do not store near feed, food, or within the reach of children.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits ACGIH TLV WF2733 TWA 0.5 mg/m^3

TLV or suggested control value:

Minimize exposure in accordance with good hygiene practice. ENGINEERING CONTROLS:

 0.1 mg/m^3

This product is intended for use outdoors where engineering controls are not necessary. If use conditions are different (e.g. product reformulation or repackaging), use ventilation adequate to maintain safe levels. EYE PROTECTION:

STEL

Eye contact with the material should be avoided through the use of chemical safety glasses, goggles or a faceshield, selected in regard to exposure potential.

BODY PROTECTION:

Skin contact should be prevented through the use of impervious gloves, footwear, long-sleeved clothing, and wide brimmed hat. Remove contaminated clothing and wash before rewearing. Wash separately from other laundry. RESPIRATORY PROTECTION:

No special respiratory protection is normally required. However, if the concentrate is spilled and allowed to stand, it can dry to a highly irritating dust. If needed, use MSHA-NIOSH approved respirator for pesticides.

Other protective equipment:

US004645 01

JAN-29-99 FRI 04:31 PM ZENECA AG PRODUCTS R&RA FAX NO. 3028861572

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

MSDS No.

Diquat Herbicide

Version:	1	Date is	sued: 11/12/98	Date printed:	11/13/98

An adequate supply of clean potable water should be available to allow thorough flushing of skin and eyes in event of contact with this compound. Special precautions or other comments:

Prevent skin and eye contact with this material. Avoid breathing vapors or aerosols. A sensitized individual should not be exposed to the product which caused the sensitization.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Physical state	: Soluble concentrate
Color	: dark brown
Odor	: odorless
Boiling point	: No data.
Vapor Pressure	: No data.
	at 20 °C
	Method: mmHg
Vapour density	: No data.
	(air = 1)
Specific gravity:	; 1.22 ,. 1.27
	at 20 °C
Solubility	: soluble
pH-value (quant.)	: 6 7.5
Volatile by volume:	•
	No data.

Section 10 - STABILITY AND REACTIVITY

HAZARDOUS REACTIONS (CONDITIONS TO AVOID)
Stability:
Stable under normal conditions.
Incompatibility:
Strong alkalis and anionic wetting agents (e.g., alkyl and alkylaryl
sulfonates). Corrosive to aluminum.
Hazardous polymerization:
Will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS
Combustion products: Carbon dioxide, carbon monoxide. Combustion or
thermal decompositon will evolve toxic and irritant vapors.

US004645_01

JAN-29-99 FRI 04:31 PM ZENECA AG PRODUCTS R&RA FAX NO. 3028861572

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

Diquat Herbicide

Version: 1

Date issued: 11/12/98

MSDS No. US004645_01 Date printed: 11/13/98

Section 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY (LETHAL DOSES)

LD50 Ingestion male rats Dose : 810 mg/kg

LD50 Ingestion female rats Dose : 600 mg/kg Additional inform. : A single dose of this product is classified as "slightly toxic" by ingestion. Irritation of the mouth, pharvnx, esophagus and stomach can develop following

pharynx, esophagus and stomach can develop following ingestion. The degree of injury will depend on the amount absorbed from the gut. Symptoms following ingestion of diquat concentrate may initially include nausea, vomiting, abdominal pain and severe irritation of the mouth, throat and esophagus. These can be followed by kidney failure and other internal organ involvement.

LD50 Skin absorption male rabbits Dose : 260 mg/kg

LD50 Skin absorption female rabbits Dose : 315 mg/kg Additional inform. : This material is classified as "moderately toxic" by absorption. The degree of injury will depend on the amount absorbed. Because diquat is an ionized compound, it has a slow rate of absorption through intact skin. Prolonged or repeated contact may result in skin damage, thus allowing more of the chemical to be absorbed. This could result in systemic poisoning as evidenced by injury to internal organs, primarily the kidneys. The no-observed-effect level (noel) for dermal toxicity of diquat technical was found to be Smg/kg/day in a 21 day study in rats.

LC50 Inhalation male rats Dose : 121 mg/m³

LC50 Inhalation female	rats		
	132 mg/m ³		
Additional inform. :	This substance is a	considered mode	rately toxic by
	inhalation. The deg	ree of injury	will depend on the
	airborne concentrat	ion and durati	on of exposure.

Page 6 of 9

P. 07

JAN-29-99 FRI 04:31 PM ZENECA AG PRODUCTS R&RA FAX NO. 3028861572

P. 08

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

Díquat Herbicide	MSDS No. U8004645 01
Version: 1	Date issued: 11/12/98 Date printed: 11/13/98
	Diquat is a water - soluble salt which has no measurable vapor pressure. Therefore, inhalation hazard from diquat vapor is minimal. If the concentrate is spilled and allowed to stand, it can dry to a highly irritating dust. Symptoms of inhalation overexposure may include headache, nosebleed, sore throat and coughing.
Dermal human	
Additional inform.	: Short contact periods with human skin are not usually associated with skin irritation; repeated and/or prolonged contact can result in skin irritation. Repeated and/or prolonged contact may cause dermatitis.
ACUTE TOXICITY (IRRIT	ATION, SENSITIZATION ETC.)
Eye contact human Results Additional inform.	: IRRITANT : This material may irritate human eyes following contact and could cause prolonged (weeks) impairment of vision. The degree of injury will depend on the amount of material that gets into the eye and the speed and thoroughness of the first aid treatment. Symptoms may include pain, tearing, swelling, redness, and blurred vision.
General information This description results and exper Other effects of over	BOUT ACUTE OR OTHER TOXICITIES of toxicological properties is based on experimental tience with the material. rexposure: clinical effects have been associated with exposure to
Section 12 - ECOLOGICAL	INKOVMATION

ADDITIONAL INFORMATION ABOUT ECOLOGY This material is toxic to fish and wildlife. JAN-29-99 FRI 04:32 PM ZENECA AG PRODUCTS R&RA FAX NO. 3028861572

ZENECA Ag Products

MATERIAL SAFETY DATA SHEET

Diquat Herbicide

Version: 1	Date issued:	11/12/98	Date printed: 11/13/98

Section 13 – DISPOSAL CONSIDERATIONS

Disposal Method:

This product is toxic by inhalation and skin absorption and must be handled with caution. Do not contaminate waterways by cleaning of equipment or by disposal of wastes. Untreated effluent should not be discharged where it will drain into lakes, streams, or ponds. Discarded product is not a hazardous waste under RCRA, 40 CFR 261. Disposal should be in accordance with local, state or national legislation.

Container disposal:

Empty container retains product residue. Observe all hazard precautions. Do not distribute or make available, furnish or reuse empty container except for storage and shipment of original product. Remove all product residue from container and puncture or otherwise destroy empty container before disposal.

Section 14 – TRANSPORT INFORMATION

ROAD TRANSPORT DOT Corrosive liquid, n.o.s. (contains diquat as dibromide salt), 8, UN1760, PG III. RQ = 1000 lbs. (450 kgs)

Section 15 - REGULATORY INFORMATION

HAZARDOUS INGREDIENTS diquat

Other regulations, restrictions and prohibitions

TSCA (Toxic Substances Control Act) Regulations, 40CFR 710: This product is a pesticide and is exempt from TSCA regulation.

CERCLA and SARA Regulations (40 CFR 355, 370, and 372):

Section 313 Supplier Notification. This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Ethylene dibromide (CAS 106-93-4)

Other Determined Regulations: California Proposition 65: WARNING. This product contains a chemical known to the State of California to cause cancer.

EPA

P. 09

US004645 01

MEDS No.

MATERIAL SAFETY DATA SHEET

Diquat Herbicide

Version: 1

Date issued: 11/12/98

MSDS No. US004645_01 Date printed: 11/13/98

EPA Registration no.: 10182-353

Section 16 - OTHER INFORMATION

We assigned NFPA and HMIS ratings to this product based on the hazards of its ingredient(s). Because the customer is most aware of the application of the product, he must ensure that the proper personal protective equipment (PPE) is provided consistent with information contained in the product MSDS.

This information is intended solely for the use of individuals trained in the particular hazard rating system.

ZENECA Ag Products believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of ZENECA Ag Products, ZENECA Ag Products expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

A vertical bar (|) in the left margin indicates an amendment from the previous version.