

# **SAFETY DATA SHEET**

Creation Date 07-May-2010 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name Ethyl acetoacetate

Cat No.: E146-500

**CAS No** 141-97-9

**Synonyms** EAA; Acetoacetic ester

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4

Label Elements

**Signal Word** 

Warning

**Hazard Statements** 

Combustible liquid

**Precautionary Statements** 

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Wear protective gloves/protective clothing/eye protection/face protection

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

**Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Ethyl acetoacetate	141-97-9	>95

### 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur. If not breathing,

give artificial respiration.

**Ingestion** Do NOT induce vomiting. Get medical attention.

Most important symptoms and

effects

**Notes to Physician** 

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO2). Dry chemical. Water mist may be used to cool closed

containers. Chemical foam. Water mist may be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 70 °C / 158 °F

Method - No information available

Autoignition Temperature 280 °C / 536 °F

**Explosion Limits** 

Upper 9.5% @ 176.7°C Lower 1.4% @ 93.3°C Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

**Specific Hazards Arising from the Chemical** 

Combustible material. Containers may explode when heated.

**Hazardous Combustion Products** 

Carbon monoxide (CO). Carbon dioxide (CO2).

**Protective Equipment and Precautions for Firefighters** 

Revision Date 24-Dec-2021 Ethyl acetoacetate

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability **Physical hazards** N/A

#### Accidental release measures

Use personal protective equipment as required. Remove all sources of ignition. Take **Personal Precautions** 

precautionary measures against static discharges. Ensure adequate ventilation. See Section 12 for additional Ecological Information. Should not be released into the **Environmental Precautions** 

environment.

Methods for Containment and Clean Remove all sources of ignition. Take precautionary measures against static discharges. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Keep in suitable, closed containers for disposal.

## 7. Handling and storage

Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Wear Handling

personal protective equipment/face protection. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

Keep away from heat, sparks and flame. Flammables area. Keep containers tightly closed Storage.

in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Bases. Reducing

Agent.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

None under normal use conditions. Ensure adequate ventilation, especially in confined **Engineering Measures** 

areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Physical State** Liquid Colorless **Appearance** Odor sweet

**Odor Threshold** No information available Ha 4.0 110 g/l aq. sol

-45 °C / -49 °F Melting Point/Range

**Boiling Point/Range** 180 °C / 356 °F @ 760 mmHg

**Flash Point** 70 °C / 158 °F **Evaporation Rate** No information available

Not applicable

Flammability (solid,gas)

Flammability or explosive limits

 Upper Lower
 9.5% @ 176.7°C

 Lower
 1.4% @ 93.3°C

 Vapor Pressure
 1 hPa @ 20 °C

 Vapor Density
 4.5 (Air = 1.0)

 Specific Gravity
 1.030

Solubility116 g/L (20°C)Partition coefficient; n-octanol/waterNo data availableAutoignition Temperature280 °C / 536 °FDecomposition TemperatureNo information availableViscosity1.696 mPa.s at 20 °C

Molecular FormulaC6 H10 O3Molecular Weight130.14

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Incompatible Materials Acids, Bases, Reducing Agent

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl acetoacetate	LD50 = 3980 mg/kg (Rat)	LD50 > 5000 mg/kg (Rabbit)	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethyl acetoacetate	141-97-9	Not listed				

Mutagenic Effects Not mutagenic in AMES Test

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl acetoacetate	EC50: > 500 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 307 mg/L, 96h (Lepomis macrochirus) LC50: = 298 mg/L, 96h (Pimephales promelas) LC50: = 290 mg/L, 96h (Oncorhynchus mykiss)	Not listed	EC50: = 646 mg/L, 48h (Daphnia magna)

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation**No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Ethyl acetoacetate	0.2

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14.	Transport	information

**DOT**COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY

According to 49 CFR §173.150(f)(1), this material should reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

UN-No NA1993

Proper Shipping Name Combustible liquid, n.o.s.

Packing Group

TDG Not regulated Not regulated Not regulated Not regulated Not regulated

## 15. Regulatory information

### **United States of America Inventory**

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Г	Ethyl acetoacetate	141-97-9	X	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethyl acetoacetate	141-97-9	Х	-	205-516-1	Х	Χ	Х	Х	Х	KE-27567

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl acetoacetate	X	-	X	-	-

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

	Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Eth	nyl acetoacetate	141-97-9	Listed	Not applicable	Not applicable	Not applicable

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
L	Ethyl acetoacetate	141-97-9	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 07-May-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**