

## **SAFETY DATA SHEET**

Version 6.4 Revision Date 06/07/2021 Print Date 01/15/2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name: 1-PentanolProduct Number: 398268Brand: Sigma-AldrichIndex-No.: 603-200-00-1

CAS-No. : 71-41-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	:	+1 314 771-5765

Fax : +1 800 325-5052

#### **1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word Sigma-Aldrich - 398268

Page 1 of 11



Hazard statement(s)	
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# **2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** Lachrymator.

### SECTION 3: Composition/information on ingredients

3.1	<b>Substances</b> Synonyms	:	n-Amyl alcohol Pentyl alcohol		
	Formula Molecular weight CAS-No. EC-No. Index-No.	::	C <sub>5</sub> H <sub>12</sub> O 88.15 g/mol 71-41-0 200-752-1 603-200-00-1		
	Component			Classification	Concentration

Sigma-Aldrich - 398268

Page 2 of 11



n-Amyl alcohol	
	Flam. Liq. 3; Acute Tox. 4; <= 100 % Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H226, H332, H315, H318, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known. Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

Sigma-Aldrich - 398268

Page 3 of 11



#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6:** Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 398268

Page 4 of 11



#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
n-Amyl alcohol	71-41-0	TWA	100 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Chloroprene Minimum layer thickness: 0.65 mm Break through time: 240 min Material tested:KCL 720 Camapren®

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

Sigma-Aldrich - 398268

Page 5 of 11



#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

	· · · · · · · · · · ·	
a)	Appearance	Form: liquid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	7
e)	Melting point/freezing point	Melting point/range: -78 °C (-108 °F) - lit.
f)	Initial boiling point and boiling range	136 - 138 °C 277 - 280 °F - lit.
g)	Flash point	49 °C (120 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8.0 %(V) Lower explosion limit: 1.6 %(V)
k)	Vapor pressure	2.04 hPa at 20 °C (68 °F) - OECD Test Guideline 104
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	21 g/l at 20 °C (68 °F) - OECD Test Guideline 105
o)	Partition coefficient: n-octanol/water	log Pow: 1.41 at 25 °C (77 °F) - $$ - Bioaccumulation is not expected., (ECHA)
p)	Autoignition temperature	300 °C (572 °F) at 1,004 - 1,008 hPa - DIN 51794
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety informatio	n
	<b></b>	

Dissociation constant 16.26

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

9.2

Vapor/air-mixtures are explosive at intense warming.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3** Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Sigma-Aldrich - 398268

Page 6 of 11



Fluorine Oxygen Violent reactions possible with: Oxidizing agents Alkali metals Alkaline earth metals halogens Acid chlorides Isocyanates lithium silicide acids

## **10.4 Conditions to avoid** Heating.

- **10.5 Incompatible materials** rubber, various plastics
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 3,645 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rabbit - male - 2,292 mg/kg (OECD Test Guideline 402) No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritations - 20 h Remarks: (ECHA)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405) Remarks: (ECHA)

#### **Respiratory or skin sensitization**

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Micronucleus test Test system: Chinese hamster fibroblasts Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: Ames test

Sigma-Aldrich - 398268

Page 7 of 11



Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system

**Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 1,000 mg/kg

Repeated dose toxicity - Rat - male - inhalation (vapor) Remarks: (ECHA)

#### RTECS: SB9800000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Headache somnolence lack of appetite Nausea Vomiting Diarrhea Dizziness Unconsciousness Coma narcosis

Possible damages:

Damage to:

Liver Kidney Cardiac Sigma-Aldrich - 398268

Page 8 of 11



Lungs

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

#### SECTION 12: Ecological information

#### **12.1 Toxicity**

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - 530 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 341.21 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2)

#### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 18 d Result: 100 % - Readily biodegradable. (OECD Test Guideline 310)
Rischemical Owngon	1.070

Biochemical Oxygen	1,278 mg/g
Demand (BOD)	Remarks: (IUCLID)
Chemical Oxygen	1,814 mg/g
Demand (COD)	Remarks: (IUCLID)
Ratio BOD/ThBOD	47 % Remarks: (IUCLID)

#### **12.3 Bioaccumulative potential** No data available

**12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Additional ecological No data available information

Sigma-Aldrich - 398268

Page 9 of 11



#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information					
<b>DOT (US)</b> UN number: 1105 Class: 3 Proper shipping name: Pentanols Reportable Quantity (RQ): Poison Inhalation Hazard: No	Packing group: III				
IMDG UN number: 1105 Class: 3 Proper shipping name: PENTANOLS	Packing group: III	EMS-No: F-E, S-D			
IATA UN number: 1105 Class: 3 Proper shipping name: Pentanols	Packing group: III				

#### SECTION 15: Regulatory information

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
n-Amyl alcohol	CAS-No. 71-41-0	Revision Date 2007-03-01
No components are subject to the Massachusetts F	Right to Know Act.	
Pennsylvania Right To Know Components		Devision Data
n-Amyl alcohol	CAS-No. 71-41-0	Revision Date 2007-03-01
New Jersey Right To Know Components	CAS-No.	Revision Date
n-Amyl alcohol	CAS-NO.	Revision Date
Sigma-Aldrich - 398268		Page 10 of 11



#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 06/07/2021

Print Date: 01/15/2022

Sigma-Aldrich - 398268

Page 11 of 11

